

Middlesex
County

All				
Bloom Time	Plant and Flower Color	Tolerance		
		pH	Drought	Shade
Early Apr-May-Jun				
	Horseflyweed <i>Baptisia tinctoria</i>	5.8-7.0	High	Intolerant
	Marsh marigold <i>Caltha palustris</i>	4.9-6.8	None	Intolerant
	Wild geranium <i>Geranium maculatum</i>	5.5-8.5	Low	Intolerant
Mid Jun-Jul-Aug	Butterfly Milkweed <i>Asclepias tuberosa</i>	4.8-6.8	High	Intolerant
	Partridge pea <i>Chamaecrista fasciculata</i>	5.5-7.5	Medium	Tolerant
	Cardinal flower <i>Lobelia cardinalis</i>	5.8-7.8	Medium	Tolerant
	Common milkweed <i>Asclepias syriaca</i>	5.0-8.0	Medium	Intolerant
	Green-headed coneflower <i>Rudbeckia laciniata</i>	4.5-7.0	High	Intermediate
	Joe-Pye weed <i>Eupatorium purpureum</i>	6.0-7.5	Low	Intermediate
Mid-Late Jul-Aug				
	Common evening primrose <i>Oenothera biennis</i>	5.0-7.0	Medium	Intolerant
	Northern evening primrose <i>Oenothera parviflora</i>	5.0-7.0	Medium	Intolerant
	White turtlehead <i>Chelone glabra</i>	6.0-8.0	None	Intermediate
	Early goldenrod <i>Solidago juncea</i>	5.5-7.7	Medium	Intermediate
	Boneset <i>Eupatorium perfoliatum</i>	5.5-8.0	Low	Intolerant
Late Aug-Sep				
	Gray goldenrod <i>Solidago nemoralis</i>	6.5-7.5	Medium	Intolerant
	Licorice-scented goldenrod <i>Solidago odora</i>	6.0-7.5	Medium	Intolerant
	Wrinkleleaf goldenrod <i>Solidago rugosa</i>	5.0-7.5	Medium	Intermediate
	Smooth blue aster <i>Symphyotrichum laeve</i>	5.5-7.5	Medium	Intolerant
	Calico aster <i>Symphyotrichum lateriflorum</i>	5.5-7.5	Medium	Intolerant
	New York aster <i>Symphyotrichum novibelgii</i>	5.5-7.5	Medium	Intolerant
	White heath aster <i>Symphyotrichum ericoides</i>	5.5-7.5	High	Intolerant

Wet				
Bloom Time	Plant and Flower Color	Tolerance		
		pH	Drought	Shade
Early Apr-May-Jun	Marsh marigold <i>Caltha palustris</i>	4.9-6.8	None	Intolerant
	Wild geranium <i>Geranium maculatum</i>	5.5-8.5	Low	Intolerant
Mid Jun-Jul-Aug	Partridge pea <i>Chamaecrista fasciculata</i>	5.5-7.5	Medium	Tolerant
	Cardinal flower <i>Lobelia cardinalis</i>	5.8-7.8	Medium	Tolerant
	Common milkweed <i>Asclepias syriaca</i>	5.0-8.0	Medium	Intolerant
	Joe-Pye weed <i>Eupatorium purpureum</i>	6.0-7.5	Low	Intermediate
	Common evening primrose <i>Oenothera biennis</i>	5.0-7.0	Medium	Intolerant
	Northern evening primrose <i>Oenothera parviflora</i>	5.0-7.0	Medium	Intolerant
Mid-Late Jul-Aug	White turtlehead <i>Chelone glabra</i>	6.0-8.0	None	Intermediate
	Early goldenrod <i>Solidago juncea</i>	5.5-7.7	Medium	Intermediate
	Boneset <i>Eupatorium perfoliatum</i>	5.5-8.0	Low	Intolerant
	Gray goldenrod <i>Solidago nemoralis</i>	6.5-7.5	Medium	Intolerant
Late Aug-Sep	Licorice-scented goldenrod <i>Solidago odora</i>	6.0-7.5	Medium	Intolerant
	Wrinkleleaf goldenrod <i>Solidago rugosa</i>	5.0-7.5	Medium	Intermediate
	Smooth blue aster <i>Symphyotrichum laeve</i>	5.5-7.5	Medium	Intolerant
	Calico aster <i>Symphyotrichum lateriflorum</i>	5.5-7.5	Medium	Intolerant
	New York aster <i>Symphyotrichum novibelgii</i>	5.5-7.5	Medium	Intolerant

Dry

Bloom Time	Plant and Flower Color	Tolerance		
		pH	Drought	Shade
Early Apr-May-Jun	Horseflyweed <i>Baptisia tinctoria</i>	5.8-7.0	High	Intolerant
Mid Jun-Jul-Aug	Butterfly Milkweed <i>Asclepias tuberosa</i>	4.8-6.8	High	Intolerant
	Partridge pea <i>Chamaecrista fasciculata</i>	5.5-7.5	Medium	Tolerant
	Cardinal flower <i>Lobelia cardinalis</i>	5.8-7.8	Medium	Tolerant
	Common milkweed <i>Asclepias syriaca</i>	5.0-8.0	Medium	Intolerant
	Green-headed coneflower <i>Rudbeckia laciniata</i>	4.5-7.0	High	Intermediate
	Common evening primrose <i>Oenothera biennis</i>	5.0-7.0	Medium	Intolerant
	Northern evening primrose <i>Oenothera parviflora</i>	5.0-7.0	Medium	Intolerant
Mid-Late Jul-Aug	Early goldenrod <i>Solidago juncea</i>	5.5-7.7	Medium	Intermediate
Late Aug-Sep	Gray goldenrod <i>Solidago nemoralis</i>	6.5-7.5	Medium	Intolerant
	Licorice-scented goldenrod <i>Solidago odora</i>	6.0-7.5	Medium	Intolerant
	Wrinkleleaf goldenrod <i>Solidago rugosa</i>	5.0-7.5	Medium	Intermediate
	Smooth blue aster <i>Symphyotrichum laeve</i>	5.5-7.5	Medium	Intolerant
	Calico aster <i>Symphyotrichum lateriflorum</i>	5.5-7.5	Medium	Intolerant
	New York aster <i>Symphyotrichum novibelgii</i>	5.5-7.5	Medium	Intolerant
	White heath aster <i>Symphyotrichum ericoides</i>	5.5-7.5	High	Intolerant