


Map ID#	Plant Identification	DBH	Condition	Recommendation	Priority H/M/L
1	Stump	26"	Dead	Remove wood on the ground left from fallen tree	M
2	White Pine, Pinus strobus	18"	Fair	Crown reduce	L
3	White Pine, Pinus strobus	16"	Fair	Crown reduce	L
4	White Pine, Pinus strobus	18"	Fair	Crown reduce	L
5	White Pine, Pinus strobus	23"	Fair	Deadwood	L
6	White Pine, Pinus strobus	20"	Fair	Crown reduce	L
7	White Pine, Pinus strobus	20"	Fair	Crown reduce	L
8	White Pine, Pinus strobus	21"	Fair	Crown reduce	L
9	White Pine, Pinus strobus	11"	Fair	Prune deadwood over path, do not crown reduce	M
10	White Pine, Pinus strobus	19"	Fair	Crown reduce	L
11	White Pine, Pinus strobus	13"	Fair	Crown reduce	M
12	White Pine, Pinus strobus	28"	Dead	Snag – retain to mark spot for future replacement	L
13	White Pine, Pinus strobus	13"	Poor	Crown reduce	L
14	White Pine, Pinus strobus	23"	Fair	Crown reduce	L
15	White Pine, Pinus strobus	23"	Fair	Crown reduce	L
16	White Pine, Pinus strobus	20"	Fair	Crown reduce	L
17	White Pine, Pinus strobus	19"	Fair	Crown reduce	L
18	White Pine, Pinus strobus	21"	Fair	Crown reduce	L
19	White Pine, Pinus strobus	18"	Poor	Wound located 3' up from the ground, crown reduce	L
20	White Pine, Pinus strobus	11"	Poor	Wound located 2' up from the ground, crown reduce	L
21	White Pine, Pinus strobus	18"	Fair	Crown reduce	L
22	White Pine, Pinus strobus	19"	Fair	Crown reduce	L
23	White Pine, Pinus strobus	22"	Fair	Crown reduce	L
24	White Pine, Pinus strobus	17"	Fair	Crown reduce	L
25	White Pine, Pinus strobus	11"	Poor	Wound located 3.5' up from the ground, crown reduce	L
26	White Pine, Pinus strobus	17"	Fair	Crown reduce	L
27	White Pine, Pinus strobus	17"	Fair	Crown reduce	L
28	White Pine, Pinus strobus	18"	Dead	Uprooted tree – remove wood on the ground	M
29	White Pine, Pinus strobus	19"	Fair	Crown reduce	M
30	White Pine, Pinus strobus	21"	Dead	Snag – retain to mark spot for future replacement	M
31	White Pine, Pinus strobus	19"	Fair	Crown reduce	L
32	White Pine, Pinus strobus	25"	Fair	Crown reduce	L
33	White Pine, Pinus strobus	15"	Fair	Crown reduce	L
34	White Pine, Pinus strobus	25"	Fair	Crown reduce	L
35	White Pine, Pinus strobus	17"	Fair	Crown reduce	L
36	White Pine, Pinus strobus	21"	Fair	Crown reduce	L

Map ID#	Plant Identification	DBH	Condition	Recommendation	Priority H/M/L
37	White Pine, Pinus strobus	10"	Dead	Wound at base, crown reduce	L
38	White Pine, Pinus strobus	18"	Fair	Crown reduce	L
39	White Pine, Pinus strobus	20"	Fair	Crown reduce	L
40	White Pine, Pinus strobus	17"	Fair	Crown reduce	L
41	White Pine, Pinus strobus	12"	Poor	Wound on base and stem, crown reduce	L
42	White Pine, Pinus strobus	18"	Fair	Crown reduce	L
43	White Pine, Pinus strobus	22"	Fair	Crown reduce	L
44	White Pine, Pinus strobus	15"	Fair	Crown reduce	L
45	White Pine, Pinus strobus	20"	Fair	Crown reduce	L
46	White Pine, Pinus strobus	20"	Poor	Severely crown reduce or cut down. Seam in trunk, hollow	H
47	White Pine, Pinus strobus	14"	Fair	Crown reduce	L
48	White Pine, Pinus strobus	22"	Fair	Crown reduce, leaning	H
49	White Pine, Pinus strobus	22"	Fair	Crown reduce	L
50	White Pine, Pinus strobus	26"	Fair	Crown reduce	L
51	White Pine, Pinus strobus	26"	Fair	Crown reduce	L
52	White Pine, Pinus strobus	10"	Fair	Crown reduce	L
53	White Pine, Pinus strobus	20"	Fair	Crown reduce	L
54	White Pine, Pinus strobus	18"	Fair	Crown reduce	L
55	White Pine, Pinus strobus	18"	Fair	Crown reduce	L
56	White Pine, Pinus strobus	17"	Fair	Crown reduce, wound at base	L
57	White Pine, Pinus strobus	18.5"	Fair	Crown reduce	L
58	White Pine, Pinus strobus	5"	Fair	Replacement tree – spacing does not match historic configuration	M
59	White Pine, Pinus strobus	5"	Fair	Replacement tree – spacing does not match historic configuration	M
60	White Pine, Pinus strobus	6"	Fair	Crown reduce	L
61	White Pine, Pinus strobus	22"	Fair	Crown reduce for weight reduction, co dominant stem, heavy on one side	H
62	White Pine, Pinus strobus	19"	Fair	Crown reduce	L
63	White Pine, Pinus strobus	18"	Poor	Hollow, light canopy	-
64	White Pine, Pinus strobus	18"	Fair	Crown reduce	L
65	White Pine, Pinus strobus	20"	Poor	Cut down – tear from storm damage on one side	H
66	White Pine, Pinus strobus	18"	Poor	Crown reduce, hollow	M
67	White Pine, Pinus strobus	17"	Fair	Crown reduce	L
68	White Pine, Pinus strobus	22"	Fair	Crown reduce	L
69	White Pine, Pinus strobus	17"	Fair	Crown reduce	L
70	White Pine, Pinus strobus	18"	Fair	Crown reduce – hollow, lean, heavy crown	H

Map ID#	Plant Identification	DBH	Condition	Recommendation	Priority H/M/L
71	White Pine, Pinus strobus	19"	Fair	Crown reduce	L
72	White Pine, Pinus strobus	9"	Fair	Crown reduce	L
73	White Pine, Pinus strobus	16"	Dead	Snag – retain to mark spot for future replacement	L
74	White Pine, Pinus strobus	22"	Fair	Crown reduce	L
75	White Pine, Pinus strobus	20"	Dead	Crown reduce	L
76	White Pine, Pinus strobus	22"	Fair	Crown reduce	L
77	White Pine, Pinus strobus	17"	Fair	Crown reduce	L
78	White Pine, Pinus strobus	18"	Dead	Uprooted tree – clean up and replace in kind	M
79	White Pine, Pinus strobus	18"	Dead	Uprooted tree – clean up and replace in kind	M
80	White Pine, Pinus strobus	17"	Fair	Crown reduce	L
81	White Pine, Pinus strobus	24"	Fair	Crown reduce	L
82	White Pine, Pinus strobus	21"	Fair	Crown reduce	L
83	White Pine, Pinus strobus	11"	Dead	Snag – retain to mark spot for future replacement	L
84	White Pine, Pinus strobus	12"	Fair	Crown reduce	L
85	White Pine, Pinus strobus	20"	Fair	Crown reduce	L
86	White Pine, Pinus strobus	19"	Fair	Crown reduce	L
87	White Pine, Pinus strobus	19"	Fair	Crown reduce	L
88	White Pine, Pinus strobus	22"	Fair	Crown reduce, damaged stem	M
89	White Pine, Pinus strobus	23"	Fair	Crown reduce	L
90	White Pine, Pinus strobus	19"	Poor	Crown reduce, co-dominant stem with seam	L
91	White Pine, Pinus strobus	24"	Fair	Crown reduce	L
92	White Pine, Pinus strobus	18"	Fair	Crown reduce, wounds on stem, hollow	H
93	White Pine, Pinus strobus	19"	Poor	Crown reduce, broken top	L
94	White Pine, Pinus strobus	12"	Dead	Snag – retain to mark spot for future replacement	L
95	White Pine, Pinus strobus	26"	Fair	Crown reduce	M
96	White Pine, Pinus strobus	17"	Poor	Crown reduce	M
97	White Pine, Pinus strobus	27"	Fair	Crown reduce	L
98	White Pine, Pinus strobus	21"	Fair	Crown reduce, co dominant stem	L
99	White Pine, Pinus strobus	20"	Poor	Crown reduce, hollow, wound on stem	H
100	White Pine, Pinus strobus	5"	Poor	Replacement tree – spacing does not match historic configuration	M
101	White Pine, Pinus strobus	18"	Fair	Crown Reduce	L
102	White Pine, Pinus strobus	19"	Fair	Crown reduce	L
103	White Pine, Pinus strobus	21"	Fair	Crown reduce	L
104	White Pine, Pinus strobus	17"	Poor	Crown reduce	L
105	White Pine, Pinus strobus	17"	Fair	Crown reduce	L

Map ID#	Plant Identification	DBH	Condition	Recommendation	Priority H/M/L
106	White Pine, Pinus strobus	23"	Dead	Snag – retain to mark spot for future replacement	L
107	White Pine, Pinus strobus	13"	Fair	Crown reduce	L
108	White Pine, Pinus strobus	27"	Poor	Crown reduce	L
109	White Pine, Pinus strobus	15"	Fair	Crown reduce	L
110	White Pine, Pinus strobus	20"	Fair	Crown reduce	L
111	White Pine, Pinus strobus	16"	Fair	Crown reduce	L
112	White Pine, Pinus strobus	19"	Fair	Crown reduce	L
113	White Pine, Pinus strobus	19"	Fair	Crown reduce	L
114	White Pine, Pinus strobus	18"	Poor	Crown reduce, hollow at base	M
115	White Pine, Pinus strobus	25"	Fair	Crown reduce	L
116	White Pine, Pinus strobus	14"	Fair	Crown reduce, hollow at base	M
117	White Pine, Pinus strobus	26"	Fair	Crown reduce	L
118	White Pine, Pinus strobus	17"	Fair	Crown reduce, lean	M
119	White Pine, Pinus strobus	23"	Fair	Crown reduce	L
120	White Pine, Pinus strobus	5"	Poor	Replacement tree – spacing does not match historic configuration	M
121	White Pine, Pinus strobus	22"	Fair	Crown reduce	L
122	White Pine, Pinus strobus	13"	Fair	Crown reduce	M
123	White Pine, Pinus strobus	20"	Fair	Crown reduce	L
124	White Pine, Pinus strobus	23"	Fair	Crown reduce	L
125	White Pine, Pinus strobus	18"	Fair	Crown reduce	L
126	White Pine, Pinus strobus	20"	Fair	Crown reduce	L
127	White Pine, Pinus strobus	20"	Fair	Crown reduce	L
128	White Pine, Pinus strobus	14"	Poor	Crown reduce, hollow at base	H
129	White Pine, Pinus strobus	24"	Fair	Crown reduce	L
130	White Pine, Pinus strobus	20"	Fair	Crown reduce	L
131	White Pine, Pinus strobus	26"	Fair	Crown reduce	H
132	White Pine, Pinus strobus	36"	Fair	Crown reduce, top half of the tree is broken	M
133	White Pine, Pinus strobus	24"	Fair	Crown reduce	L
134	White Pine, Pinus strobus	13"	Dead	Snag – retain to mark spot for future replacement	H
135	White Pine, Pinus strobus	25"	Fair	Crown reduce	L
136	White Pine, Pinus strobus	19"	Poor	Crown reduce	M
137	White Pine, Pinus strobus	24"	Poor	Crown reduce	M
138	White Pine, Pinus strobus	16"	Poor	Crown reduce, hollow at base	L
139	White Pine, Pinus strobus	20"	Poor	Crown reduce, high risk – hollow and leaning	H
140	White Pine, Pinus strobus	24"	Fair	Crown reduce	L
141	White Pine, Pinus strobus	21"	Fair	Crown reduce, very heavy top with lean	H

Map ID#	Plant Identification	DBH	Condition	Recommendation	Priority H/M/L
142	White Pine, Pinus strobus	10"	Poor	Crown reduce, hollow at base	M
143	White Pine, Pinus strobus	21"	Fair	Crown reduce	M
144	White Pine, Pinus strobus	20"	Fair	Crown reduce	L
145	White Pine, Pinus strobus	22"	Fair	Crown reduce	L
146	White Pine, Pinus strobus	14"	Poor	Crown reduce	L
147	White Pine, Pinus strobus	18"	Fair	Crown reduce, hollow at base	L
148	White Pine, Pinus strobus	18"	Fair	Crown reduce	M
149	White Pine, Pinus strobus	19"	Fair	Crown reduce	L
150	White Pine, Pinus strobus	16"	Fair	Crown reduce	L
151	White Pine, Pinus strobus	16"	Poor	Crown reduce, hollow at base	H
152	White Pine, Pinus strobus	23"	Fair	Crown reduce, heavy top	M
153	White Pine, Pinus strobus	23"	Fair	Crown reduce	L
154	White Pine, Pinus strobus	16"	Poor	Cut down, hollow at base	M
155	White Pine, Pinus strobus	12"	Fair	Crown reduce	L
156	White Pine, Pinus strobus	23"	Fair	Crown reduce	L
157	White Pine, Pinus strobus	20"	Fair	Crown reduce	L
158	White Pine, Pinus strobus	19"	Dead	Snag – retain to mark spot for future replacement	L
159	White Pine, Pinus strobus	22"	Fair	Crown reduce, heavy top	M
160	White Pine, Pinus strobus	20"	Fair	Crown reduce	L
161	White Pine, Pinus strobus	28"	Dead	Snag – retain to mark spot for future replacement	L
162	White Pine, Pinus strobus	22"	Fair	Crown reduce, leaning and newly exposed	H
163	White Pine, Pinus strobus	19"	Fair	Crown reduce, heavy top	M
164	White Pine, Pinus strobus	22"	Fair	Locust, leaning on tree – high risk, cut down locust	H
165	White Pine, Pinus strobus	23"	Fair	Crown reduce, leaning, heavy top	H
166	White Pine, Pinus strobus	28"	Fair	Crown reduce, tall tree with heavy top	M
167	White Pine, Pinus strobus	28"	Fair	Crown reduce, tall tree with heavy top	M
168	White Pine, Pinus strobus	14"	Dead	Snag – retain to mark spot for future replacement	H
169	White Pine, Pinus strobus	17"	Fair	Crown reduce	L
170	White Pine, Pinus strobus	26"	Fair	Crown reduce	L
171	White Pine, Pinus strobus	29"	Fair	Crown reduce, tall tree with heavy top, leaning	M
172	White Pine, Pinus strobus	15"	Poor	Crown reduce	L
173	White Pine, Pinus strobus	13"	Dead	Snag – retain to mark spot for future replacement	H
174	White Pine, Pinus strobus	23"	Fair	Crown reduce	L
175	White Pine, Pinus strobus	25"	Fair	Crown reduce	L
176	White Pine, Pinus strobus	17"	Fair	Crown reduce	L
177	White Pine, Pinus strobus	21"	Fair	Crown reduce, exposed tall tree, heavy on one side	M



Concord Avenue

NOTES

- This map corresponds with a Pine Allee Assessment Report, also prepared by Tree Specialists.
- Using the spacing of the existing White Pine as a guide, the trees are planted in double rows. In all four rows, the trees are located approximately 10 feet apart. The double rows are staggered in their spacing, creating a triangular spacing arrangement.
- The path is 10 feet wide, plus or minus.
- Missing (M) poses an assumption that trees were once planted in this way. When or how they did not survive is unknown.
- The M's marking the proposed locations do not suggest a recommendation for replanting. It is simply a way of quantifying the gaps.

KEY

- Existing White Pine
- Missing (M)
- Stump (St)
- Fallen/Uprooted Trees
- Snags (Sn)
- White Pine Saplings
- Wooded Border

Lone Tree Hill

Judith K. Record Memorial Conservation Fund

Pine Allee Assessment

May 2015

Tree Specialists, Inc.
Conservation | Preservation | Restoration

508.429.8733

