





ASSOCIATES
LANDSCAPE ARCHITECTURE & PLANNING
Building 4
144 Moody Street
Waltham, MA 02453
ph: 781.314.0401
www.ryan-assoc.com

RYAN

The Residences at Bel Mont
McLean District Zone 3
Olmsted Drive, Belmont, MA
Owner/
Applicant: Northland Residential Corporation
80 Beharrell Street, Concord, MA 01742

**INDEX PLAN
LANDSCAPE**

SCALE: 0 20 60 120 Feet


ISSUED	04-16-21	DESIGN AND SITE PLAN APPROVAL
1		
2		
3		
4		
5		
6		

L-1.0



ISSUED		DESIGN AND SITE PLAN APPROVAL
1	04-16-21	
2		
3		
4		
5		
6		





ASSOCIATES
LANDSCAPE ARCHITECTURE & PLANNING
Building 4
144 Moody Street
Waltham, MA 02453
ph: 781.314.0401
www.ryan-assoc.com

RYAN

McLean District Zone 3
Olmsted Drive, Belmont, MA

Owner/
Applicant: Northland Residential Corporation
80 Beharell Street, Concord, MA 01742



STREET TREE: BOTTLE
PLANTING & TREE
PRESERVATION PLAN

SCALE: 0 10 20 40 Feet

	04-16-21	DESIGN AND SITE PLAN APPROVAL
1		
2		
3		
4		
5		
6		

-1.2





RYAN
ASSOCIATES
LANDSCAPE ARCHITECTURE & PLANNING
Building 4
144 Moody Street
Waltham, MA 02453
ph: 781.314.0401
www.ryan-assoc.com

The Residences at Bel Mont
McLean District Zone 3
Olmsted Drive, Belmont, MA
Owner/
Applicant: Northland Residential Corporation
80 Beharrell Street, Concord, MA 01742

**STREET TREE. BUFFER
PLANTING & TREE
PRESERVATION PLAN**
SCALE: 0 10 20 40 Feet

ISSUED	04-16-21	DESIGN AND SITE PLAN APPROVAL
1		
2		
3		
4		
5		
6		

L-1.3



NOTE: FOR TYPICAL PLANT LIST AND GRAPHIC LEGEND, SEE L-2.3 & L-2.4



ASSOCIATES
LANDSCAPE ARCHITECTURE & PLANNING
Building 4
144 Moody Street
Waltham, MA 02453
ph: 781.314.0401
www.ryan-assoc.com

RYAN

The Residences at Bel Mont
McLean District Zone 3
Olmsted Drive, Belmont, MA
Owner/
Applicant: Northland Residential Corporation
80 Belmar Street, Concord, MA 01742

**STREET TREE, BUFFER
PLANTING & TREE
PRESERVATION PLAN**
SCALE: 0 10 20 40 Feet


ISSUED	DESIGN AND SITE PLAN APPROVAL					
	1	2	3	4	5	6
1	04-16-21					
2						
3						
4						
5						
6						

L-1.4





NOTE: FOR TYPICAL PLANT LIST AND GRAPHIC LEGEND, SEE L-2.3 & L-2.4




RYAN ASSOCIATES
 LANDSCAPE ARCHITECTURE & PLANNING
 Building 4
 144 Woody Street
 Waltham, MA 02453
 ph: 781.314.0401
 www.ryan-assoc.com

The Residences at Bel Mont
 McLean District Zone 3
 Olmsted Drive, Belmont, MA
 Owner/
 Applicant: Northland Residential Corporation
 80 Beharrell Street, Concord, MA 01742

**STREET TREE, BUFFER
 PLANTING & TREE
 PRESERVATION PLAN**
 SCALE: 0 20 40 80 Feet

ISSUED	04-16-21	DESIGN AND SITE PLAN APPROVAL
1		
2		
3		
4		
5		
6		

L-1.5



ASSOCIATES
LANDSCAPE ARCHITECTURE & PLANNING
Building 4
144 Moody Street
Waltham, MA 02453
ph: 781.314.0401
www.ryan-assoc.com

RYAN

The Residences at Bel Mont
McLean District Zone 3
Olmsted Drive, Belmont, MA
Owner/
Applicant: Northland Residential Corporation
80 Beharrell Street, Concord, MA 01742

LANDSCAPE PLAN
- TYPICAL -
TWHS BLDGS #6-14
SCALE: 0 5 10 20 Feet

ISSUED	04-16-21	DESIGN AND SITE PLAN APPROVAL
1		
2		
3		
4		
5		
6		


L-2.2

- ALONG WOODLAND EDGE:
- MULCHED EDGE (3'-4' MAX) WITH EASED TRANSITION TO NATIVE COVER, EXISTING VEGETATION, LEAF DUFF, ETC.
 - REMOVE VINES AND DEBRIS.
 - REMOVE DEAD/BROKEN/HAZARDOUS VEGETATION



TYPICAL PLANT LIST --THE RESIDENCES AT BEL MONT

SYMBOL	BOTANICAL NAME	COMMON NAME	SIZE
STREET TREES			
AR	<i>Acer rubrum</i>	Red Maple	3-3.5" cal
LT	<i>Liriodendron tulipifera</i>	Tulip Tree	3-3.5" cal
NS	<i>Nyssa sylvatica</i>	Black Gum	3-3.5" cal
PA	<i>Platanus x acerifolia</i>	Planetree	3-3.5" cal
QA	<i>Quercus alba</i>	White Oak	3-3.5" cal
QI	<i>Quercus imbricaria</i>	Shingle Oak	3-3.5" cal
QR	<i>Quercus rubra</i>	Red Oak	3-3.5" cal
UA	<i>Ulmus americana 'Princeton'</i>	Princeton Elm	3-3.5" cal
EVERGREEN TREES			
AB	<i>Abies balsamea</i>	Balsam Fir	8-10'
AS	<i>Abies concolor</i>	White Fir	8-10'
IO	<i>Ilex opaca</i>	American Holly	8-10'
PG	<i>Procea glauca</i>	White Spruce	8-10'
PF	<i>Pinus flexilis</i>	Limber Pine	8-10'
PS	<i>Pinus strobus</i>	White Pine	8-10'
FLOWERING / UNDERSTORY TREES			
AC	<i>Amelanchier x grandiflora</i>	Serviceberry	8-10'
BN	<i>Betula nigra</i>	River Birch	2-2.5" cal.
CK	<i>Cornus sp.</i>	Dogwood	6 - 10'
HC	<i>Halesia carolina</i>	Carolina Silverbell	6-8'
HV	<i>Hamamelis sp.</i>	Witch Hazel	6-8'
MS	<i>Magnolia sp.</i>	Magnolia	8 - 10'
PK	<i>Prunus sp.</i>	Flowering Cherry	8-10'
SR	<i>Syringa reticulata</i>	Tree Lilac	2-2.5" cal.
COLUMNAR EVERGREENS			
CP	<i>Chamaecyparis sp.</i>	Cedar	7-8'
JV	<i>Juniperus virginiana</i>	Red Cedar	7-8'
TE	<i>Thuja sp.</i>	Arborvitae	7-8'
DECIDUOUS/ EVERGREEN SHRUBS			
AA	<i>Aronia arbutifolia</i>	Chokeberry	2.5'
AZ	<i>Azalea sp.</i>	Azalea sp.	2'
BS	<i>Buxus sp.</i>	Boxwood	2'-3'
CP	<i>Chamaecyparis sp.</i>	False Cypress	3'
CA	<i>Clethra alnifolia</i>	Summersweet	3'
CS	<i>Cornus sp.</i>	Dogwood	2.5'
DG	<i>Deutzia gracilis</i>	Slender Deutzia	2'
FG	<i>Fothergilla gardenii</i>	Dwarf Fothergilla	2-2.5'
HP	<i>Hydrangea sp.</i>	Hydrangea	2.5'
IG	<i>Ilex glabra 'Compacta'</i>	Inkberry	3'
IM	<i>Ilex sp.</i>	Holly	3'
IV	<i>Itea virginica</i>	Sweetspire	2'
JV	<i>Juniperus sp.</i>	Juniper	2'
MP	<i>Myrica pensylvanica</i>	Bayberry	3'
PO	<i>Physocarpus opulifolius</i>	Ninebark	2.5'
RC	<i>Rhododendron sp.</i>	Rhododendron	3'
RA	<i>Rhus aromatica</i>	Fragrant Sumac	2'
RO	<i>Rosa sp.</i>	Rose	2'
SG	<i>Spiraea sp.</i>	Spiraea	2'
SP	<i>Syringa sp.</i>	Lilac	3'
VD	<i>Viburnum sp.</i>	Viburnum	3'
WF	<i>Weigela sp.</i>	Weigela	2.5'
PERENNIALS AND GRASSES			
BA	<i>Baptisia</i>	Baptisia	2 gal
CF	<i>Calamagrostis x acut. 'Karl Foerster'</i>	Feather Reed Grass	2 gal
GJ	<i>Geranium 'Johnson's Blue'</i>	Johnson's Blue Geranium	2 gal
HS	<i>Hemerocallis sp.</i>	Daylily	2 gal
LB	<i>Leucanthemum</i>	Daisy	2 gal
MG	<i>Miscanthus sinensis</i>	Maiden Grass	2 gal
NF	<i>Nepeta faassenii</i>	Nepeta	2 gal
PV	<i>Paricum virgatum</i>	Switch Grass	2 gal
PK	<i>Perovskia</i>	Russian Sage	2 gal
PA	<i>Pennisetum alopecuroides</i>	Fountain Grass	2 gal
RF	<i>Rudbeckia fulgida 'Goldsturm'</i>	Goldsturm Black-Eyed Susan	2 gal
SA	<i>Sedum 'Autumn Joy'</i>	Autumn Joy Sedum	2 gal



ASSOCIATES

LANDSCAPE ARCHITECTURE & PLANNING

Building 4
 144 Moody Street
 Waltham, MA 02453
 ph: 781.314.4401
 www.tyran-assoc.com

RYAN

The Residences at Bel Mont

McLean District Zone 3
 Olmsted Drive, Belmont, MA
 Owner/ Northland Residential Corporation
 Applicant: 80 Behanreal Street, Concord, MA 01742

LANDSCAPE PLAN

-TYPICAL -

TWHS BLDG #3-6

SCALE: 0 5 10 20 Feet

ISSUED	04.16.21	DESIGN AND SITE PLAN APPROVAL
1		
2		
3		
4		
5		
6		


L-2.3



The site plan illustrates a residential development with two main buildings, Building #1 and Building #2, situated on a property bounded by Olmsted Drive to the south and a rail line to the east. Building #1 is a large, irregular structure with a deck, front porch, and lawn. Building #2 is a similar structure with a deck, front porch, and lawn. The plan includes various landscaping elements such as trees, shrubs, and lawns. A new rail fence is proposed along the eastern boundary, and an existing stone wall is shown near the southern boundary. The plan also indicates the location of a mail house park, a park bench, and a proposed street light. A north arrow is located in the bottom right corner.

Labels and Features:

- UPHAM BOWL
- SIDEWALK
- PROPERTY LINE
- BUILDING-SETBACK LINE
- SHADE TREE
- LAWN
- FLOWERING/UNDERSTORY TREES
- DECK
- BUILDING #1
- FRONT PORCH
- LAWN
- BUILDING #2
- CONDENSER #/LOCATION MAY VARY
- AC
- PAVER FRONT WALK
- RETAINING WALL
- EXISTING VEGETATION TO BE PRESERVED BEYOND LIMITS OF WORK
- EXISTING C-L FENCE
- EXISTING STONE WALL
- EXISTING STREET LIGHT
- STREET TREE
- ALONG WOODLAND EDGE:
 - MULCHED EDGE (3-4' MAX) WITH EASED TRANSITION TO NATIVE COVER, EXISTING VEGETATION, LEAF DUFF, ETC.
 - REMOVE VINES AND DEBRIS. REMOVE DEAD/BROKEN/HAZARDOUS VEGETATION
- EXIST TO BEY
- EXISTING PLANTING
- THE WOODLANDS
- NEW RAIL FENCE
- EXISTING RAIL FENCE
- PROPOSED STREET LIGHT
- MAIL HOUSE PARK
- PARK BENCH
- Olmsted Drive
- MCLEAN PARKING
- NORTH



ASSOCIATES
LANDSCAPE ARCHITECTURE & PLANNING
Building 4
144 Moody Street
Waltham, MA 02453
ph: 781.314.0401
www.ryan-assoc.com

RYAN

McLean District Zone 3



SCALE: 0 5 10 20
-TYPICAL -
TWHS BLDGS #1-2

1	04-16-21	DESIGN AND SITE PLAN APPROVAL
2		
3		
4		
5		
6		

-2.4

PLANTING NOTES:

1. CONTRACTOR SHALL LOCATE AND VERIFY UTILITY LINE LOCATIONS PRIOR TO PLANTING AND REPORT ANY CONFLICTS TO OWNER'S REPRESENTATIVE.
2. CONTRACTOR TO SUBMIT PHOTOGRAPHS OF TREES AND SHRUBS TO OWNER'S REPRESENTATIVE FOR APPROVAL; OWNER'S REPRESENTATIVE HAS THE RIGHT TO REJECT PLANTS NOT MEETING SPEC OR BEING OTHERWISE UNSATISFACTORY. OWNER'S REPRESENTATIVE MAY CONSIDER SUBSTITUTIONS WHERE SPECIFIED SPECIES/QUALITY ARE UNAVAILABLE AS SPECCED. ALTERNATE MUST BE EQUAL IN SIZE/QUALITY SPECIFIED.
3. NO PLANTS SHALL BE PLANTED BEFORE ACCEPTANCE OF FINISH GRADING. ALL PLANTS SHALL BEAR THE SAME RELATIONSHIP TO FINISH GRADE AS TO ORIGINAL GRADE BEFORE DIGGING. ROOF FLARE SHALL BE VISIBLE ON ALL PLANTS.
4. ALL PLANT MATERIAL SHALL CONFORM TO GUIDELINES ESTABLISHED BY "THE AMERICAN STANDARD FOR NURSERY STOCK" PUBLISHED BY THE AMERICAN ASSOCIATION OF NURSERYMEN, INC. ALL PLANTS TO BE BALLED IN BURLAP OR CONTAINER GROWN. NO SYNTHETIC TIES; REMOVE ALL RIBBONS AND TAGS.
5. ALL PLANTS SHALL BE MAINTAINED AS REQUIRED.
6. ALL PLANTS SHALL BE GUARANTEED FOR A PERIOD OF ONE FULL YEAR AFTER COMPLETION AND ACCEPTANCE OF THE ENTIRE PROJECT.
7. ALL TREE SAUCERS AND SHRUB BEDS TO BE MULCHED WITH MINIMUM OF 2" AGED PINE BARK MULCH.
8. CONTRACTOR IS RESPONSIBLE FOR DAMAGE INSIDE AND OUTSIDE OF LIMIT OF WORK DUE TO CONTRACT OPERATIONS. ALL DISTURBED AREAS SHALL BE RESTORED TO ORIGINAL CONDITION. CARE SHALL BE TAKEN NOT TO DISTURB EXISTING VEGETATION TO REMAIN.
9. CONTRACTOR SHALL STAKE PLANT LOCATIONS OR PLACE PLANTS FOR APPROVAL BY OWNER'S REPRESENTATIVE PRIOR TO INSTALLATION.
10. ALL DISTURBED SOIL AREAS WITHIN THE BUFFER PLANTING ZONE TO BE MULCHED WITH MINIMUM OF 2" AGED PINE BARK MULCH.
11. TOPSOIL - PROVIDE CLEAN, SCREENED, WEED FREE, FRIABLE NATURAL LOAM PLANTING SOIL IN ALL PLANTING AREAS TO A DEPTH OF 12" (MIN). TEST, CONDITION, AND AMEND TOPSOIL TO INSURE FERTILITY.
12. MAINTAIN AND WATER ALL PLANTING UNTIL FINAL ACCEPTANCE OF THE PROJECT. THE PROJECT WILL NOT BE APPROVED UNLESS ALL PLANT MATERIALS ARE HEALTHY AND SHOWING VIGOROUS GROWTH.
13. IN THE EVENT OF A DISCREPANCY BETWEEN THE PLANT LIST/LABELS AND THE PLANTING PLAN SYMBOLS THE SYMBOLS SHALL GOVERN.
14. ALL PLANTS TO BE PLANTED IN ROWS SHALL BE MATCHED SPECIMENS.



ASSOCIATES
LANDSCAPE ARCHITECTURE & PLANNING
Building 4
144 Moody Street
Waltham, MA 02453
ph: 781.314.0401
www.ryan-assoc.com

RYAN

The Residences at Bel Mont
McLean District Zone 3
Olmsted Drive, Belmont, MA
Owner/
Applicant: Northland Residential Corporation
80 Beharrell Street, Concord, MA 01742

LANDSCAPE PLAN
-TYPICAL -
THE ELIOT CHAPEL
SCALE: 0 5 10 20 Feet

ISSUED	04-16-21	DESIGN AND SITE PLAN APPROVAL
1		
2		
3		
4		
5		
6		

L-2.5

ISSUED		DESIGN AND SITE PLAN APPROVAL
1	04-16-21	
2		
3		
4		
5		
6		





ISSUED		DESIGN AND SITE PLAN APPROVAL
1	04.16.21	
2		
3		
4		
5		
6		

L-1.2

SITE LIGHTING PLAN

SCALE: 0 10 20 40 Feet

The Residences at Bel Mont

McLean District Zone 3

Olmsted Drive, Belmont, MA

Owner/ Applicant: Northland Residential Corporation

80 Belmar Street, Concord, MA 01742

RYAN ASSOCIATES

LANDSCAPE ARCHITECTURE & PLANNING


Building 4



144 Moody Street

Waltham, MA 02453

ph: 781.314.0401

www.ryan-assoc.com





RYAN ASSOCIATES
LANDSCAPE ARCHITECTURE & PLANNING
Building 4
144 Moody Street
Waltham, MA 02453
ph: 781.314.0401
www.ryan-assoc.com

The Residences at Bel Mont
McLean District Zone 3
Olmsted Drive, Belmont, MA
Owner/
Applicant: Northland Residential Corporation
80 Beharrell Street, Concord, MA 01742

SITE LIGHTING PLAN
SCALE: 0 10 20 40 Feet


ISSUED	04-16-21	DESIGN AND SITE PLAN APPROVAL
1		
2		
3		
4		
5		
6		

L-1.3



PROPOSED STREET LIGHTS:
EURO E450LED BY STERNBERG;
SEE L-4.3 FOR SPEC SHEETS

EXISTING STREET LIGHTS
ALONG OLMSTED DRIVE
TO REMAIN, 70' O.C. TYP



ASSOCIATES
LANDSCAPE ARCHITECTURE & PLANNING
Building 4
144 Moody Street
Waltham, MA 02453
ph: 781.314.0401
www.ryan-assoc.com


RYAN

The Residences at Bel Mont
McLean District Zone 3
Olmsted Drive, Belmont, MA
Owner/
Applicant: Northland Residential Corporation
80 Beharrell Street, Concord, MA 01742


SITE LIGHTING PLAN
SCALE: 0 10 20 40 Feet

ISSUED	DESIGN AND SITE PLAN APPROVAL					
	1	2	3	4	5	6
04-16-21						


L-1.4




1 Granite Cobble Band
SCALE: 1" = 1'-0"




2 Concrete Pavers
SCALE: 1" = 1'-0"




3 STEP IN WALK
SCALE: 1" = 1'-0"




4 Stepping Stones
SCALE: 1" = 1'-0"




5 Concrete Retaining Wall with Stone Veneer
SCALE: 1/2" = 1'-0"




6 Mortared Stone Retaining Wall
SCALE: 1/2" = 1'-0"



7 Boulder Retaining Wall
SCALE: 1/2" = 1'-0"



8 Modular Retaining Wall
SCALE: 1/2" = 1'-0"



ASSOCIATES
LANDSCAPE ARCHITECTURE & PLANNING
Building 4
144 Moody Street
Watnam, MA 02453
ph: 781.314.0401
www.ryan-assoc.com


RYAN

The Residences at Bel Mont
McLean District Zone 3
Olmsted Drive, Belmont, MA
Owner/
Northland Residential Corporation
80 Beharrell Street, Concord, MA 01742
Applicant:


SITE DETAILS
SCALE AS NOTED

ISSUED	04-16-21	DESIGN AND SITE PLAN APPROVAL
1		
2		
3		
4		
5		
6		

L-4.1




1 RAIL FENCE SCALE: 3/8" = 1'-0"




4 Park Bench SCALE: 1/2" = 1'-0"


NOTES:
1. BENCH BY OWNER
2. BOLT BENCH TO SLAB PER MANUFACTURER'S RECOMMENDATIONS



2 PICKET FENCE SCALE: 1/2" = 1'-0"




5 LAWN -- SOD / SEED SCALE: 1" = 1'-0"




7 PERENNIAL AND GROUNDCOVER PLANTING SCALE: 3/4" = 1'-0"

NOTE: SEE PLANTING PLAN FOR PLANT SPACING. PLANTS TO BEAR SAME RELATIONSHIP TO FINISHED GRADE AS TO PREVIOUS GRADE.




3 METAL PICKET FENCE SCALE: 1/2" = 1'-0"



6 SHRUB PLANTING SCALE: 3/8" = 1'-0"


NOTE: SEE PLANTING PLAN FOR PLANT SPACING. PLANTS TO BEAR SAME RELATIONSHIP TO FINISHED GRADE AS TO PREVIOUS GRADE.



8 TREE PLANTING SCALE: 3/8" = 1'-0"

NOTE: STAKED/GUYED PER AS DIRECTED OR CONTRACTOR'S OPTION.

*SAUCERS TO BE REMOVED WHEN IRRIGATION SYSTEM IS INSTALLED AND FUNCTIONAL.



RYAN ASSOCIATES
LANDSCAPE ARCHITECTURE & PLANNING
Building 4
144 Moody Street
Waltham, MA 02453
ph: 781.314.0401
www.ryan-assoc.com

RYAN

The Residences at Bel Mont
McLean District Zone 3
Olmsted Drive, Belmont, MA
Owner/
Applicant:
Northland Residential Corporation
80 Beharrell Street, Concord, MA 01742

SITE DETAILS
SCALE AS NOTED

ISSUED	04-16-21	DESIGN AND SITE PLAN APPROVAL
1		
2		
3		
4		
5		
6		

L-4.2



The Residences at Bel Mont

1	04-16-21	DESIGN AND SITE PLAN APPROVAL
2		
3		
4		
5		
6		

1-43

Calculation Summary							
Label	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min
CalcPts_1	Illuminance	Fc	0.13	4.6	0.0	N.A.	N.A.

Luminaire Location Summary						
LumNo	Label	X	Y	Z	Orient	Tilt
12	SL3	739900.75	2967744.5	16	312.769	0
19	SL3	739699.5	2967674.5	16	187.165	0
21	SL3	739785.5	2967632.62	16	356.772	0
22	SL3	739705.875	2967621.75	16	181.723	0
23	SL3	739760	2967598.5	16	282.152	0
24	SL3	739729.125	2967594.87	16	278.374	0
28	SL3	739957.125	2967437	16	190.779	0
29	SL3	739759.125	2967419.25	16	241.376	0
30	SL3	739577.125	2967415.12	16	205.335	0
31	SL3	739110	2967405.12	16	137.181	0
32	SL3	739199.25	2967404.62	16	85.994	0
33	SL3	739286.125	2967397.37	16	81.048	0
35	SL3	739313.875	2967612.25	16	56.842	0
36	SL3	739144.625	2967816.25	16	127.907	0
37	SL3	739779	2967692.62	16	21.825	0

E450LED / E460LED EURO SERIES

EPA
E450LED 1.68 (ft)
E460LED 2.2 (ft)
WEIGHT
E450LED 52 LBS
E460LED 52 LBS

5 YEAR
WARRANTY

LUMEN
RANGE
2,285
10,780
HOURS

LIFE
SPAN
L70
UP TO
100,000
HOURS

JOB NAME
FIXTURE TYPE
MEMO

BUILD A PART NUMBER

ORDERING EXAMPLE: **2A-E450LED-R3-16145T5-MDL10-SV1-PEC-FHD-EU/PM/3312P5/SCC/BK1T**

Mounting Config.	Fixture	Filter	LED	CCT	Type	Driver	Lens	Option Photo Finish	Option Face	Option House Side	Arm	Pole	Finish
											See Arm Spec Sheet	See Pole Spec Sheet	

Mounting Configuration

(Click here to view mounting configuration sheet)

-IM-	-2A-	-3A90-	-1AM-
-PT-	-2A90-	-3APT-	-2AM-
-APT-	-3A-	-4APT-	-5S0PB

W- Wall Mount, PT- Post Top, A- Arm Mount, AM- Arm Mid-Mount, PB- Pier Base

Fixture

E450LED E460LED

Filter

R3 R4

LED

16L 21L 28L

CCT - Color Temperature (K)

2700(K) 3500(K) 4500(K)

Type

T2 T3 T4 T5

Driver

MDL10 (120V-277V, 1000mA)

MDL14 (277V-377V, 1400mA)

MDL16 (377V-480V, 1400mA)

For use with 21L and 28L only.

For use with 21L and 28L only.

Lens

CA (Clear Acrylic)

FA (Frosted Acrylic)

FL (Flatrylic Lens)

SG (Sag Glass)

SGG (Frosted Sag Glass)

SV1 (Flat Soft Vue Light Diffuse Acrylic)

SV2 (Flat Soft Vue Moderate Diffuse Acrylic)

For use with E460LED only.

For use with E460LED only.

Options (Click here to view accessories sheet)

- PEC Electronic Photocatalytic (120V-277V)
- PEC4 Electronic Photocatalytic (480V)
- FHD Dual Fuse and Holder
- HSS House Side Shield (external)

1 Ships loose for installation in base.

Arm (Click here to view arm number page)

Use Arms & Wall Brackets specification sheets.

HM OL OM VC VF VL

Pole (Click here to view pole number page)

See Pole specification sheets.

1'

Finish (Click here to view paint finish sheet)

Standard Finishes¹

- BK Black Textured
- WH White Textured
- PCT Pink Green Textured
- ABZ Architectural Medium Bronze Textured
- DB Dark Bronze Textured

Custom finishes are available upon request.

Custom Finish

- CM Custom Match
- OI Oil Iron
- RT Rust
- WB Weathered Brown
- CD Cedar
- WB Weathered Black
- TT Two Tone

¹Custom colors require repainting.

Stenberg Select Finishes

- VC Verde Green
- SI Swedish Iron
- OWG Old World Gray Textured

Specifications

Fixture

This large scale contemporary fixture includes a cast aluminum roof, filter and (4) sweep-up support legs. The unit is provided with an acrylic tapered cylindrical molded lens matching the profile of the support legs (E460LED), or a flat acrylic lens allowing for an open body

(E450LED). The top mounted ballast mounting plate will be cast aluminum and provide tool-less removal from the housing. The luminaire shall be UL listed in US and Canada.

Filter

Standard cast aluminum filter (R3) slips a 3" OD x 3" tall tenon or pole. Optional cast aluminum filter (R4) slips a 4" OD x 3" tall tenon or pole.

LED's

The luminaire shall use high output, high brightness LED's. They shall be mounted in arrays, on printed circuit boards designed to maximize heat transfer to the heat sink surface. The arrays shall be roof mounted to minimize up-light. The LED's and printed circuit boards shall be 100% recyclable; they shall also be protected from moisture and corrosion by a conformal coating of 1 to 3 mils. They shall not contain lead, mercury or any other hazardous substances and shall be RoHS compliant. The LED life rating data shall be determined in accordance with IESNA LM-80. The High Performance white LED's will have a life expectancy of approximately 100,000 hours with not less than 70% of original brightness (lumen maintenance), rated at 25°C. The High Brightness, High Output LED's shall be 4500

E450LED / E460LED EURO SERIES

LED

Fixtures

The image displays two technical line drawings of light fixtures, labeled E450LED-R4 and E460LED-R3, and a photograph of the E460LED-R3 fixture. The technical drawings show the fixtures from a top-down perspective, indicating a width of 22" and a height of 32-3/4". The E450LED-R4 fixture has a wider, flared top, while the E460LED-R3 fixture has a more compact, rounded top. The photograph shows the E460LED-R3 fixture in a three-quarter view, highlighting its black finish and the clear, multi-faceted lens. A diagonal banner in the upper right corner of the photograph reads "LED NIGHT SKY".

E450LED-R4

E460LED-R3

LED NIGHT SKY

OMNI-LITE, INC. 263 WINN STREET BURLINGTON, MA. 01803 PH # 781-272-2300, FAX # 781-272-0759 www.omnilight.com	
PROJECT:	
<i>Residences at Bel Mont</i>	
CLIENT:	
<i>Northland Residential</i>	
SCALE: <i>FEET</i>	FILE: <i>omni residences at bel mont 00.adm</i>
DATE: <i>04/13/2021</i>	SALES PERSON: <i>Paul Abdella</i>
THESE DRAWINGS ARE FOR CONCEPTUAL USE ONLY AND ARE NOT INTENDED FOR CONSTRUCTION. VALUES REPRESENTED ARE AN APPROXIMATON GENERATED FROM DATA SUPPLIED BY LAMP MFG. AND TESTING LABS.	

 **SternbergLighting**
ESTABLISHED 1923 / EMPLOYEE OWNED

800-621-3376
555 Lawrence Ave., Roselle, IL 60172
info@sternberglighting.com
www.sternberglighting.com

720 STERNBERG LIGHTING. ALL RIGHTS RESERVED. PRINTED IN THE USA

 **SternbergLighting**
ESTABLISHED 1923 / EMPLOYEE OWNED

800-621-3376
555 Lawrence Ave., Roselle, IL 60172
info@sternberglighting.com
www.sternberglighting.com

7100 STERNBERG LIGHTING, ALL RIGHTS RESERVED. PRINTED IN THE U.S.A.