



# 2021 AUG 12 PM 1:46 NOTICE OF PUBLIC HEARING BY THE TOWN OF BELMONT PLANNING BOARD

#### ON APPLICATION FOR THREE SPECIAL PERMITS

Notice is hereby given that the Planning Board will hold a public hearing on Thursday, September 9, 2021 at 7:00 PM by remote access through the Zoom app. to consider the application of Empire Management Corporation, Brian Lafferty, President, for three Special Permits to erect multiple wall signs, larger directory sign, and relocate the exiting freestanding sign at 777A, 778, 782, 790 Pleasant Street located in a Local Business II (LBII) Zoning District. Special Permits: 1.- §5.2.5 b) 1 of the Zoning By-Law allows multiple wall signs by a Special Permit granted by the Planning Board 2.- §5.2.5 b) 2 of the Zoning By-Law allows larger directory sign greater than 1.5 square feet by a Special Permit granted by the Planning Board 3.- §5.2.5 b) 3 of the Zoning By-Law allows a Standing Sign by a Special Permit granted by the Planning Board.

TOWN OF BELMONT PLANNING BOARD

Note: Application submittals, meeting agenda & instructions on remote access can be found on the Town's website: https://www.belmont-ma.gov/planning-board

# TOWN OF BELMONT Office of Community Development



#### Belmont, Massachusetts 02478

# SPECIAL PERMIT APPLICATION FOR STANDING, MORE THAN ONE WALL MOUNTED AND/OR PROJECTING SIGN

Date Submitted	luly 12,2021				
The undersigned he Projecting Sign as		Special Permit t	o erect a Standing, more th	an one Wall Mo	inted and/or
Location of Sign (S	treet address) 774	1A, 778, 782, &	790 Pleasant Street		
Name of Business	Cityside Subaru				
	Empiro Managomo	ent Address	171 Great Road, Acton, M	A 01720 <b>Phone</b>	978-790-8300
Sign Erector ——	T.B.D.	Address	Address and the second	Phone	
Size of Sign* Lengt *Refer to Zoni	th S ing By-Laws for dimen	ee Attached Cit <b>Height</b> sional limitations	yside Subaru Sign Package Width Attach plans for sign.	and cover letter Square Feet	
Material of Sign: Fr	rame	See Attached Cit <b>Face</b>	yside Subaru Sign Package Supports		
Will it be illuminate	See Attacled?If so, h	hed Cityside Sul ow?	oaru Sign Package and cove	er letter Sa <b>What Hours?</b> Su	-F 7:00am - 8:00pm t 8:00am - 8:00pm n 12:00pm - 4:00pr
Are there any other	signs for the busine	ess? Yes If se	See Sign S o, how many?Si	ummary Table i <b>ze</b>	
			gn Package and cover lette		
I hereby certify that plans will comply w	the information corrith all applicable pr	rovisions of Sta Signatur	application and plans subm tutes, Regulations and By-	Laws.	
Planning Board Ac	ction Date		<b>Building Department</b>	Date	
			Received		
			Approved		and the same of
Denied					
Conditions					
Approval Signature					



#### OFFICE OF COMMUNITY DEVELOPMENT

Town of Belmont Homer Municipal Building 19 Moore Street

Belmont, Massachusetts 02478-0900 Telephone: (617) 993-2666 Fax: (617) 993-2651

PB -	 	

Office Use - Timestamp

#### **APPLICATION FOR A WAIVER TO ERECT A SIGN**

Date Submitted July 12, 2021

dimensional or operational r	olies for a waiver from the Planning Board requirements of the Sign By-Law as follow 1. More than one wall sign totaling the mor	/s: e than 65 square feet (but less than 10%) of the
Sign Type(s) Requiring a W	front wall of the building. 2. More than one aiver: standing sign more than 15 square feet and	directory sign greater than 1.5 square feet. 3. A 5 feet in height above the ground.
Section of the By-Law: Section of the By-Law:	tions 5.2.5 b) 1.; Sections 5.2.5 b) 2.; & Se	ections 5.2.5 b) 3.
Location of Sign (Street add	ress): 774A, 778, 782, & 790 Pleasant St	reet
Name of Business: Cityside	e Subaru	
Owner of Business: Corporation	Address: 171 Great Road	d, Acton, MA 01720 Phone: 978-790-8300
Owner of Sign: Same as O	wnerAddress:	Phone:
Sign Erector: T.B.D.	Address: (See Attached Cityside Subaru Sign Packag	Phone: e and cover letter)
Size of Sign* Length:  *Refer to Zoning By-Law	Height (to top of sign): Squ	nare Feet: Thickness: Thickness:
Material(s): Frame:	Face: Supp	oorts:
(See At Will it be illuminated?	tached Cityside Subaru Sign Package and d If so, how?	ge and cover letter) ports: cover letter)
	(See Attached Cityside Subathe business? If so, how many?	ru Sign Package and cover letter)
Type and Location	(See Attached Cityside Subaru Sign Packa	ge and cover letter)
· · · · · · · · · · · · · · · · · · ·	ons and other information on this application all applicable provisions of Statutes, Regularization Signature	-
	(Office Use Only)	
Planning Board Decision	Conditions:	
Granted W/D Denied		
Date:		
Approval Signature on behalf	t of the Planning Board:	




# CITYSIDE SUBARU

**SIGN PACKAGE** 

FOR TOWN PERMITS
BELMONT, MA
JULY 12, 2021

#### **LOGO & CHANNEL LETTERS SIGN**



SIGN TYPE	A	В	SF
LOGO.CHR.53_SUB.19	53*	9' 0"	39.75
LOGO.CHR.36_SUB.19	36"	6′ 1-3/8″	18.34
LOGO.CHR.24_SUB.19	24"	4' 0-7/8"	8.15
LOGO.CHR.20_SUB.19	20"	3' 4-3/4"	5.66

	SIGN TYPE	С	D	SF	E	F	ELECTRICA
	CL.36_SUB_19	36"	23' 1-3/4"	69.44	33" 9-1/4"	1' 7-1/2"	5.04 AMPS @
I	CL.24_SUB.19	24"	15' 5-1/8"	30.85	22' 7-1/2"	1' 1"	1.89 AMPS @
	CL.18_SUB.19	18"	11' 6-7/8"	17.36	16' 5-1/2"	9-3/4"	1.89 AMP5 @
	CL.14_SUB.19	14"	9′ 0″	10.50	13' 0-3/9"	7-5/8"	1.89 AMPS @

ELECTRICAL LOADS	AMPS/CIRCUITS
5.04 AMPS @ 120 VOLTS	(1) 20 AMP 120 VOLT CIR.
1.89 AMPS @ 120 VOLTS	(1) 20 AMP 120 VOLT CIR.
1.89 AMPS @ 120 VOLTS	(1) 20 AMP 120 VOLT CIR.
1.89 AMPS @ 120 VOLTS	(1) 20 AMP 120 VOLT CIR.


## BLUE DAY/WHITE NIGHT FACES METALLIC SILVER TRIM METALLIC SILVER RETURNS

#### **STANDARD WALL SIGN NOTES:**

- Sufficient Primary Circuit In Vicinity Of Sign By Others.
- 2. Final Primary Hook-up By Sign Installer, Where Allowed By Local Codes.
- 3. Sign Shall Be U.L. Listed.
- 4. Mounting Hardware By Sign Installer.

#### **STANDARD LETTER NOTES:**


- Sufficient Primary Circuit In Vicinity Of Sign By Others.
- Letter To Letter Wiring & Final Primary Hook-up By Sign Installer, Where Allowed By Local Codes.
- 3. Sign Shall Be U.L. Listed.
- 4. Mounting Hardware By Sign Installer.
- 5. Full Size Drilling Template Furnished With Sign.
- This Sign has been Designed with the Criteria
  as set forth in the IBC 2018. The Design Meets or
  Exceeds those Requirements for the Geographical
  Location in Which it is to be Erected.



SCALE: NTS



## **RETAILER LETTERS SIGN**




1	SIGN TYPE	A	В	SF	ELECTRICAL LOADS	AMPS/CIRCUITS
ł	24" LETTERS	24"	18'-11"	37.83 SF	1.89 AMPS @ 120 VOLTS	(1) 20 AMP 120 VOLT CIR.
	18" LETTERS	18"	VARIES	VARIES	1.89 AMPS @ 120 VOLTS	(1) 20 AMP 120 VOLT CIR.

## BLUE DAY/WHITE NIGHT FACES METALLIC SILVER TRIM METALLIC SILVER RETURNS

#### STANDARD LETTER NOTES:


- Sufficient Primary Circuit In Vicinity Of Sign By Others.
- Letter To Letter Wiring & Final Primary Hook-up By Sign Installer, Where Allowed By Local Codes.
- 3. Sign Shall Be U.L. Listed.
- 4. Mounting Hardware By Sign Installer.
- 5. Full Size Drilling Template Furnished With Sign.
- This Sign has been Designed with the Criteria
  as set forth in the IBC 2018. The Design Meets or
  Exceeds those Requirements for the Geographical
  Location in Which it is to be Erected.



CROSS SECTION SCALE: NTS



#### **PYLON SIGN**



## **Pylon/Monument Sign Application**

- White Push-Thru Formed "SUBARU" Copy
- Formed Logo with Chrome Stars & Ring, 3M Blue (PMS 281) Vinyl Backed Routed Aluminum Face Painted to Match (PMS 281) Blue
- · Aluminum Endcaps Painted Silver
- Aluminum Oval Pole Cover Painted Silver


SIGN TYPE	A	A1	В	e	D	E	F	G	Н	1	J	SF (A)	SF (A1)	ELECTRICAL LOADS
P120_SUB.19	15′ 2	13′ 9	8′ 8″	18' 3"	26' 11"	2' 3"	8' 11-1/2"	4' 4-3/4"	2' 6"	1' 2"	14' 10"	131,45	120	5.80 AMPS @ 120 VOLTS
P90_SUB.19	13′ 1	11' 10"	7' 6"	18' 3"	25′ 9″	2' 3"	7' 6-5/8"	3' 8-1/2"	2" 1-1/2"	1' 2"	12′ 9″	98.12	90	4.64 AMPS @ 120 VOLTS
P65_SUB.19	11′ 2"	10' 2"	6′ 4"	14' 8"	21' 0"	1' 11"	6′ 5-1/8"	3' 1-7/8"	1' 9-3/8"	11.1-5/88	10' 11"	70.72	65	2.32 AMPS @ 120 VOLTS
P50_SUB.19	9′ 9″	8′ 9″	5′ <b>7″</b>	14′ 8″	20′ 3″	1′ 11″	5' 8-3/4"	2 9-3/4"	1' 8"	1* 1-5/8"	9' 5"	54.43	50	1.74 AMPS @ 120 VOLTS
P30_SUB.19	7′ 7"	6′ 11″	4′ 4″	10, 11	15′ 3″	1' 11"	4' 4-1/2"	25-13/16"	1' 3-3/4"	1' 1-5/8"	7'3"	32.86	30	1.16 AMPS @ 120 VOLTS

- STANDARD PYLON NOTES:

  1. Sufficient Primary Circuit In Vicinity Of Sign By Others.
- 2. Final Primary Hook-up By Sign Installer, Where Allowed By Local Codes.

  3. Sign Shall Be U.L. Listed.
- Soil Assumed To Be Medium Clay, Or Better, With Minimum Soil Bearing Capacity Of 2,500 PSF.
   Concrete 2,500 PSI @ 28 Days.
- 6. Reinforcing Steel Shall Be ASTM A615 GR-40.
- 7. Structural Steel Shall Be ASTM A36,
- 8 All Welds Shall Conform To A.W.S Standards.






SIGN TYPE	Α	В	SF	ELECTRICAL LOADS	AMPS/CIRCUITS
24" LETTERS	24"	13' 9-1/4"	27.54	1.89 AMP5 @ 120 VOLTS	(1) 20 AMP 120 VOLT CIR.
18" LETTERS	18"	10' 4"	15.5	1.89 AMPS @ 120 VOLTS	(1) 20 AMP 120 VOLT CIR.
12" LETTERS	12"	6' 10-5/8"	6.89	1.89 AMPS @ 120 VOLTS	(1) 20 AMP 120 VOLT CIR.

#### BLUE DAY/WHITE NIGHT FACES METALLIC SILVER TRIM METALLIC SILVER RETURNS

#### STANDARD LETTER NOTES:


- Sufficient Primary Circuit In Vicinity Of Sign By Others.
- Letter To Letter Wiring & Final Primary Hook-up By Sign Installer, Where Allowed By Local Codes.
- 3. Sign Shall Be U.L. Listed.
- 4. Mounting Hardware By Sign Installer.
- 5. Full Size Drilling Template Furnished With Sign.
- This Sign has been Designed with the Criteria
  as set forth in the IBC 2018. The Design Meets or
  Exceeds those Requirements for the Geographical
  Location in Which it is to be Erected.




SCALE: NTS




# INTERIOR ILLUMINATED & NON-ILLUMINATED LOGO SIGN



SIGN TYPE	A	9	5F
53" NI LOGO_SUB.19	53"	9' 0"	39.75
48" NI LOGO, SUB.19	48"	8' 1-13/16"	32.60
36" NI LOGO_SUB.19	36"	6' 1-3/8"	18:34
24" NI LOGO_SUB.19	24"	4' 0-7/8"	8.15







## **DIRECTIONAL & REGULATORY SIGNS**

